Starship Children's Health Clinical Guideline



Starship Note: The electronic version of this guideline is the version currently in use. Any printed version can not be assumed to be current. Please remember to read a walker to

COUGH – INVESTIGATION OF CHRONIC COUGH &/OR CONFIRMED BRONCHIECTASIS

_		
•	introc	luction
		action

- What questions to ask
- Investigations

- Investigations Stage 1
- Investigations Stage 2
- References

Introduction

Cough is a common symptom in children that is usually short-lived. Children without a recent cold may cough between 1 and 34 times a day. However, a chronic cough of 3 weeks or longer is unusual. Daily cough for greater than 4-6 weeks may mean there is an underlying lung disease. A comprehensive clinical history and examination together with appropriate investigations and follow up are recommended. The reader is referred to review articles on the topic (see References)

What questions to ask?

- What is the cough like?
 - o Is it a dry cough?
 - Is it a wet cough?
- Does the child produce spit or phlegm?
- When does the child cough?
 - o At night?
 - With exertion?
 - Early in the morning?
- Are there any other associated respiratory symptoms?
 - o Wheeze?
 - O Whistling in the chest?
 - Fast breathing?
 - Shortness of breath?

Investigations

The following charts show investigations commonly performed by the Paediatric Respiratory Service at Starship in the assessment of children with chronic cough or confirmed bronchiectasis. These investigations are usually undertaken serially depending on the clinical setting. The investigations seek to define not only aetiology but also disease severity.

Author:	Dr Elizabeth Edwards	Service:	Respiratory
Editor:	Dr Raewyn Gavin	Date Issued:	August 2008


Starship Children's Health Clinical Guideline



Starship Note: The electronic version of this guideline is the version currently in use. Any printed version can not be assumed to be current. Please remember to road our displacement.

COUGH – INVESTIGATION OF CHRONIC COUGH &/OR CONFIRMED BRONCHIECTASIS

Investigations - Stage 1



Author: Dr Elizabeth Edwards Service: Respiratory August 2008 Editor: Dr Raewyn Gavin Date Issued:

Starship Children's Health Clinical Guideline




Starship Note: The electronic version of this guideline is the version currently in use. Any printed version can not be assumed to be current. Please remember to read our disclaimer.

COUGH – INVESTIGATION OF CHRONIC COUGH &/OR CONFIRMED BRONCHIECTASIS

Investigations - Stage 2

Consider if Stage 1 tests normal and cough continues or no cause for Bronchiectasis found



References

Pattemore PK. Persistent Cough in Children. NZ Family Physician. 2007; 34 (3):432-6.

Chang AB, Landau LI, Van Asperen PP, Glasgow NJ, Robertson CF, Marchant JM, et al. Chronic cough in children: Definitions and clinical evaluation. Position statement of the Thoracic Society of Australia and New Zealand. Medical Journal of Australia. 2006;184(8):398-403.

Munyard, Bush. (1996). How much coughing is normal? Arch Dis Child, 74: 531-4.

Author:	Dr Elizabeth Edwards	Service:	Respiratory
Editor:	Dr Raewyn Gavin	Date Issued:	August 2008